${\sf RISK\ ASSESSMENT-Canterbury\ Cathedral\ Schools\ Department\ -\ Activity\ Room}$



ACTIVITY	PERSON AT RISK	SIGNIFICANT HAZARDS	RISK*			DISC CONTROL MEASURES	RESIDUAL RISK**		
			L	S	DR	RISK CONTROL MEASURES	L	S	DR
Walking up/down stairs to Activity Room.	Staff/Volunteers/ Visitors	Tripping/Falling Down	3	3	9	 Ensure stairs are never wet Ensure handrail secure and used Ensure lights are always on as stairwell very dark even in daytime. Ensure children do not congregate near the top of the stairs. 	2	3	6
Manual handling	Schools Department Staff only	Incorrect lifting and handling techniques, lifting excessive or awkward weights etc. leading to back pain	3	3	9	 Mechanical aids to be used where possible, e.g. trolleys. Do not attempt to move winch/block of stone etc without another member of staff – call works department if applicable 	3	1	3
Moving around the room	Schools Department Staff / visiting teachers and children	Slips, trips and falls as a result of uneven floor coverings, chairs not tucked in etc.	4	3	12	 Good housekeeping, including cleaning up spillages. Floors and walkways to be maintained to a satisfactory standard. Children reminded to tuck in chairs etc. to ensure safe movement around room. 	3	1	3
Using electrical equipment – light box and organ	Schools Department Staff	Staff could be affected by electrical shock or burns through incorrect usage or poorly maintained equipment	4	4	16	 Equipment to be regularly checked by users – light box/organ etc. PAT testing to be arranged for specific items. Staff to be encouraged to report faulty equipment to supervisor. No personal electrical equipment to be brought into the workplace. 	3	2	6
Action in the event of fire	All staff and visitors	Staff and visitors trapped in the office may suffer from smoke inhalation, burns and possibly death	3	5	15	 Action in the event of fire to be communicated to all staff. Evacuation procedures to be placed around the building at strategic points. Visitors advised of fire evacuation procedures and shown fire exit. Regular fire alarm checks to be carried out. Fire drill to be regularly carried out. Fire extinguishers to be provided and maintained. Fire exits to be kept clear of obstructions. Supervisor /Fire Warden to walk the building on a regular basis to check that fire instructions are being complied with. 	2	2	4

RA/ Issue uncontrolled when printed 18 May 2021 Page 1 of 3

RISK ASSESSMENT – Canterbury Cathedral Schools Department – Activity Room



ACTIVITY	PERSON AT RISK	SIGNIFICANT HAZARDS	RISK*				RESIDUAL RISK**		
			L	S	DR	RISK CONTROL MEASURES	L	S	DR
Carving Stone Block	Visiting Children	Small piece of stone entering child's eye Child hitting fingers with mallet Child cutting fingers with chisel.	3	2	6	 Children to wear safety goggles at all times. Only child actively engaged in the activity to be standing on area of lino surrounding the block of stone. Demonstrate to child how to hold mallet and chisel safely and told to keep eyes on activity at all times. Provide 1:1 supervision if required 	2	2	4
Using Winch	Visiting Children	Catching fingers in turning wheel.	3	1	3	Explaining to children that they need to move the wheel slowly one way and then another.	2	1	2
Costume Trail	Visiting Children	Tripping over long costumes	3	2	6	 Tie up longer costumes with cords etc and encourage children to look where they are walking. Dress children in appropriately sized costumes – a range of costumes available. 	2	2	4
Children escaping	Visiting children (esp very young or children with Special Needs)	Children Leaving either door	2	1	2	 Keep outside door closed and locked, keep children in visual contact at all times. Always ensure there is an accompanying adult with any group in the Activities Room. 	1	1	1

LIKELIHOOD (L) = Frequent (5) - Probable (4) - Occasional (3) - Improbable (2) - Remote (1)

SEVERITY (S) = Catastrophic (5) - Major (4) - Reportable (3) - Serious (2) - Minor (1)

Degree of Risk (DR) = LIKELIHOOD x SEVERITY

^{**} Residual risk is the level of risk that remains after suitable and sufficient control measures are introduced

Risk Assessment Review / Major Changes	Reviewed by: Name and Signature	Date
Issue 1	Zoe Willis	21/08/14
	Zoe Willis	18/05/2021

RA/ Issue uncontrolled when printed 18 May 2021 Page 2 of 3

^{*} Numbers used are for illustrative purposes only.

${\sf RISK\ ASSESSMENT-Canterbury\ Cathedral\ Schools\ Department\ -\ Activity\ Room}$



RA/ Issue uncontrolled when printed 18 May 2021 Page 3 of 3